Product datasheet

Specifications





adaptor plate 90 x 90 mm for door mounting of handle - set of 5

KZ106

() Discontinued on: Apr 13, 2023

① Discontinued

Main

Range Of Product	VARIO	
Accessory / Separate Part Designation	Adaptor plate	
Accessory / Separate Part Type	Plate	
Accessory / Separate Part Category	Adaptation accessories	
Product Compatibility	V3 V4	
Accessory / Separate Part Destination	Switch disconnector with front plate 90 x 90 mm	
Quantity Per Set	Set of 5	

Complementary

Net Weight

0.075 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5 cm
Package 1 Width	10.5 cm
Package 1 Length	10 cm
Package 1 Weight	57 g
Unit Type Of Package 2	BAG
Number Of Units In Package 2	5
Package 2 Height	5 cm
Package 2 Width	10.5 cm
Package 2 Length	10 cm
Package 2 Weight	289 g
Unit Type Of Package 3	S01
Number Of Units In Package 3	25
Package 3 Height	15 cm
Package 3 Width	15 cm
Package 3 Length	40 cm
Package 3 Weight	1.635 kg

Contractual warranty

Warranty

18 months

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations