Product datasheet

Specifications





Airing grille cut-out diameter 35mm IP44

NSYCAG35LP

() Discontinued on: Nov 1, 2020

① Discontinued

Main

Range	ClimaSys
Product	ClimaSys CA
Range Compatibility	Thalassa Thalassa PLM
Product Or Component Type	Plastic ventilation louvre
Accessory / Separate Part Category	Thermal management accessory
Accessory / Separate Part Destination	ClimaSys ventilation system
Fixing Mode	Clipped
Device Composition	2 plastic louvre

Complementary

Material	Polyamide 6	
Colour	White	
Cut-Out Dimensions	35 mm	
Height	15 mm	
Width	150 mm	
Ip Degree Of Protection	IP44 (installation in Thalassa enclosure) IP30	

Packing Units

U	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2 cm
Package 1 Width	7 cm
Package 1 Length	11 cm
Package 1 Weight	11 g
Unit Type Of Package 2	PAL
Number Of Units In Package 2	500
Package 2 Height	40 cm
Package 2 Width	40 cm
Package 2 Length	60 cm
Package 2 Weight	5.5 kg

Contractual warranty

Warranty

18 months

Sustainability Screen Premium

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

K r ch Free Of Svhc
Toxic Heavy Metal Free
Mercury Free
Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations