# **Product datasheet**

Specifications



# Painted steel cover cut-out 223x223mm with filter IP55



NSYCAP223LZF

#### Main

Range	ClimaSys
Product Name	ClimaSys CA
Product Or Component Type	Sealing cover
Accessory / Separate Part Category	Thermal management accessory

#### Complementary

Mounting Location	On enclosure
Fixing Mode	By screws
Range Compatibility	ClimaSys ClimaSys CV EMC fan
Device Composition	1 cover 1 filter
Material	Painted steel
Colour	Grey (RAL 7035)
Cut-Out Dimensions	223 x 223 mm
Height	350 mm external:
Width	305 mm external:
Depth	80 mm external:

## Environment

Ip Degree Of Protection

IP55

# **Packing Units**

V	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	14.0 cm
Package 1 Width	32.0 cm
Package 1 Length	37.0 cm
Package 1 Weight	2.92 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	36
Package 2 Height	120 cm
Package 2 Width	80 cm

Package 2 Length	108 cm	
Package 2 Weight	113 kg	

## **Contractual warranty**

Warranty

18 months

# Sustainability Screen Premium

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Mercury Free

Rohs Exemption Information Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations